

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1078	(host port) with address with server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/13 09:51
S2	18	(random host port) with address with server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/13 09:46
S3	2726	ssh	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/13 09:47
S4	43	S1 S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/13 09:47
S5	233	S1 tunnel\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/19 09:55
S6	79	tunnel\$3 same (((host or port) near2 address) with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/13 09:50
S7	77	S1 address adj map\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/13 09:59
S8	27	generat\$3 near2 (random with (host or port) near1 (address or number))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/13 10:01

## EAST Search History

S9	4	generat\$3 near2 (random with (port) near1 (address or number))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/13 13:32
S10	229	(random with (port) near1 (address))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/13 13:33
S11	20	S10 tunnel\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/13 13:34
S12	8	S11 server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/13 13:36
S14	6	secure adj shell adj server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/13 13:41
S15	16005	connection adj request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/13 13:41
S17	10	S15 tunnel\$3 port adj address host adj address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/13 13:42
S18	423	713/151.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/13 15:15

## EAST Search History

S19	41	S18 host port tunnel\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/13 15:15
S20	26	S19 database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/13 15:16
S21	2	S18 random adj (host or port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/16 12:59
S22	337	random adj (host or port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/13 15:17
S23	22	S22 tunnel\$3 server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/13 15:16
S24	49	(creat\$4 or generat\$4) with random adj (host or port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/13 15:19
S25	10	S24 server tunnel\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/13 15:21
S26	90	java jdbc server tunnel\$3 host port	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/13 15:54

## EAST Search History

S29	928	port adj forwarding	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/14 13:47
S30	22	S29 ssh	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/13 16:33
S32	1071	((select\$4 or arbitrar\$3) near2 (host or port)) with server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/13 17:16
S33	11	S32 ssh java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/13 17:15
S34	30	S32 ssh	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/13 17:15
S35	45	java jdbc ssh	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/13 17:21
S36	13	S35 host port tunnel\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/13 17:19
S37	48	jdbc ssh	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/13 17:22

## EAST Search History

S46	87	secure adj shell with tunnel\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/14 10:53
S47	165	secure adj shell ssh tunnel\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/14 10:54
S53	165	secure adj shell ssh tunnel\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/14 14:07
S69	96	random adj (host or port) with address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/16 13:01
S71	8	(generat\$3 or creat\$3) with random adj (host or port) with address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/16 13:03
S72	50	(secure adj shell or ssh) adj tunnel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/16 13:06
S78	676	secure adj tunnel\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/16 13:41
S79	36	S78 server port adj address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/16 13:12

## EAST Search History

S85	40	S78 ssh	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/16 13:42
S86	27	S85 port host address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/16 13:44
S87	708	security adj association sa	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/16 13:44
S88	2	S87 host adj address port adj address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/16 13:45
S89	285	S87 host port	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/16 13:45
S90	31	S89 java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/16 13:46
S91	8	S89 jdbc	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/16 13:46
S92	55	random adj (host)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/16 13:52

## EAST Search History

S93	23	random adj (host) server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/16 14:08
S98	55	random adj host	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/19 09:55
S99	10	S98 tunnel\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/19 11:10